

**AMENDMENTS TO THE SPECIFICATION**

**Page 1, before line 1, insert the following:**

**CROSS-REFERENCE TO RELATED APPLICATIONS**

This is a divisional application of Serial No. 09/985,400 filed November 2, 2001 (Confirmation No. 3573), which is a divisional application of Serial No. 08/877,518 (Confirmation No. 6133) filed June 17, 1997, the entire contents and disclosures of which are incorporated herein by reference. This application is also related to Serial No. 08/809,262 (Confirmation No. 6379) filed March 16, 2001, and Serial No. \_\_\_\_\_ (Confirmation No. \_\_\_\_\_) filed November 2, 2001, both of which are also divisional applications of Serial No. 08/877,518 filed June 17, 1997 (Confirmation No. 3573); the entire disclosures of which are incorporated herein by reference.

**Page 16, last paragraph:**

~~[Figure 5 is]~~ Figures 5(a) and 5(b) are views to show a lubricant supply device according to the first embodiment of the invention; 5(a) and 5(b) are a sectional view and a front view of the lubricant supply device respectively;

**Page 17, 1st through 6th paragraphs:**

~~[Figure 6 is]~~ Figures 6(a) and 6(b) are views to show a retaining ring according to the first embodiment of the invention; 6(a) and 6(b) are a side view of the retaining ring and a front view from the outside of the retaining ring;

~~[Figure 7 is an illustration]~~ Figures 7(a) and 7(b) are illustrations to explain the effects of notches and expansion members according to the first embodiment of the invention; 7(a) shows a state before the expansion members are inserted and 7(b) shows a state after the expansion members are inserted;

Figure 8 is a sectional view to show the main part of a ball screw according to a second embodiment of the invention;

~~[Figure 9 is]~~ Figures 9(a) and 9(b) are views to show a lubricant supply device according to the second embodiment of the invention; 9(a) and 9(b) are a sectional view and a front view of the lubricant supply device respectively;

~~[Figure 10 is]~~ Figures 10(a) and 10(b) are views to show an expansion member according to the second embodiment of the invention; 10(a) and 10(b) are a side view and a front view of the expansion member respectively;

~~[Figure 11 is]~~ Figures 11(a) and 11(b) are views to show a retaining ring according to the second embodiment of the invention; 11(a) and 11(b) are a side view of the retaining ring and a front view from the outside of the retaining ring;

**Page 43, third full paragraph:**

Further, as shown in Figure 22, the portion of the lubricant supply device coming in contact with the screw shaft 1 may be formed into a plurality of lip parts  
[[30]] 130 actually arranged.